

Cytowane źródła

- Apanaskevich D.A. 2003. Discrimination of subspecies in a polymorphic *Hyalomma marginatum* (Acari, Ixodidae) based on immature stages. *Parazitologiya* 37: 462-472.
- Apanaskevich D.A. 2004. Discrimination of subspecies in a polymorphic *Hyalomma marginatum* (Acari, Ixodidae) based on adult stage. *Parazitologiya*, 38: 20-32.
- Apanaskevich D.A., Horak I.G. 2008. The genus *Hyalomma* Koch, 1844: V. Reevaluation of the taxonomic rank of taxa comprising the *H. (Euhyalomma) marginatum* Koch complex of species (Acari: Ixodidae) with redescription of all parasitic stages and notes on biology. *Intern. J. of Acarol.* 34 (1): 13–42, 2008. doi: 10.1080/01647950808683704.
- Apanaskevich D.A., Horak I.G. 2009. The genus *Hyalomma* Koch, 1844: IX. Redescription of all parasitic stages of *H. (Euhyalomma) impeltatum* Schulze & Schlottke, 1930 and *H. (E.) somalicum* Tonelli Rondelli, 1935 (Acari: Ixodidae). *Syst. Parasitol.* 73:199–218.
- Apanaskevich D.A., Santos-Silva M.M., Horak I.G. 2008a. The genus *Hyalomma* Koch, 1844: IV. Redescription of all parasitic stages of *H. (Euhyalomma) lusitanicum* Koch, 1844 and the adults of *H. (E.) franchinii* Tonelli Rondelli, 1932 (Acari: Ixodidae) with a first description of its immature stages. *Folia Parasitol.* 55: 61–74.
- Apanaskevich D.A., Schuster A.L., Horak I.G. 2008b. The genus *Hyalomma*: VII. Redescription of all parasitic stages of *H. (Euhyalomma) dromedarii* and *H. (E.) schulzei* (Acari: Ixodidae). *Morphol Syst Evol.* 45: 817–831.
- Apanaskevich D.A., Filippova N.A., Horak I.G. 2010. The genus *Hyalomma* Koch, 1844: X. Redescription of all parasitic stages of *H. (Euhyalomma) scupense* Schulze, 1919 (= *H. detritum* Schulze) (Acari: Ixodidae) and notes on its biology. *Folia Parasitol.* 57:69–78.
- Bakirci S., Sarali H., Aydin L., Latif A., Eren H., Karagenc T. 2011. *Hylomma rufipes* (Koch, 1844) infesting cattle in the West Aegean region of Turkey. *Turk. J. Anim. Sci.* 35: 359–363.
- Balashov J.S. 1989. Ekologija nieparazitczeskich stadij žizninnogo cykla iksodowych kleszczej. *Parazitologiczskij Sbornik.* 36: 56–82.
- Bitam I. 2012. Vectors of rickettsiae in Africa. *Ticks Tick Borne Dis.* 3: 381–385.
- Camicas J.L., Hervy J.P., Adam F., Morel P.C. 1998. The ticks of the world nomenclature, described stages, hosts, distribution (Acarida, Ixodida). Orston Editions, Paris.
- Capek M., Literak I., Kocianova E., Sychra O., Najer T., Trnka A., et al. 2014. Ticks of the *Hyalomma marginatum* complex transported by migratory birds into Central Europe. *Ticks Tick Borne Dis.* 5: 489–493.
- Cerný V., 1972. The tick fauna of Czechoslovakia. *Folia Parasitol.* (Praha): 87–92.
- Cerný V., Bal'a, F., 1957. Cases of introduction of *Hyalomma plumbeum* (Panz.) ticks (Ixodidae) in Czechoslovakia. *Zool. Listy* 81–83.

Cerný V., Balat F., 1989. New records of ixodid ticks on warblers of the genus *Acrocephalus*. *Biol.* 44: 157–160.

Chaligiannis I., Papa A., Sotiraki S. 2014. Ticks feeding on ruminants and humans in Greece. *Parasit Vectors.* 7 (Suppl. 1): O1.

Chen Z., Yang X., Bu F., Yang X., Yang X., Liu J. 2010. Ticks (Acari Ixodoidea: Argasidae, Ixodidae) of China. *Exp. Appl. Acarol.* 51: 393–404.

Chitimia-Dobler L., Nava S., Bestehorn M., Dobler G., Wölfel S. 2016. First detection of *Hyalomma rufipes* in Germany. *Ticks and Tick-borne Diseases.* 7 (6): 1135–1138. doi: 10.1016/j.ttbdis.2016.08.008.

Chitimia-Dobler L., Schaper S., Rieß S., Bitterwolf K., Frangoulidis D., Bestehorn M., Springer A., Oehme R., Drehmann M., Lindau A., Mackenstedt U., Strube C. and Dobler G. 2019. Imported *Hyalomma* ticks in Germany in 2018. *Parasites Vectors.* 12: 134. <https://doi.org/10.1186/s13071-019-3380-4>.

Chumakov M.P., Belyaeva A.P. 1965. Experimental data on interrelationships between Omsk hemorrhagic fever and human tick-borne encephalitis viruses. In: Endemic viral infections (hemorrhagic fever with renal syndrome, Crimean hemorrhagic fever, Omsk hemorrhagic fever, and Astrakhan virus from the tick *Hyalomma p. plumbeum*). (Ed. Chumakov M.P.), Moskwa: 356-362.

Cuber P. 2016. Ticks (Ixodida) from the collection of the Natural History Department, Museum of Upper Silesia in Bytom, Poland – A contribution to knowledge on tick fauna and the first record of *Hyalomma marginatum* presence in Poland. *Ann. Agric. Environ. Med.*, 23(2): 379–381. doi: 10.5604/12321966.1203910.

De Kok J.B., D’Oliveira C., Jongejan F. 1993. Detection of the protozoan parasite *Theileria annulata* in *Hyalomma* ticks by polymerase chain reaction. *Experimental and Applied Acarology.* 17: 739-881.

Djerbouh A., Kernif T., Beneldjouzi A., Socolovschi C., Kechemir N., Parola R., et al. 2012. The first molecular detection of *Rickettsia aeschlimannii* in the ticks of camels from southern Algeria. *Ticks Tick Borne Dis.* 3: 374–376.

Dogan M., Devge C., Tanrıöver Pata Y.S., Sönmezoglu M. 2012. Case report: facial nerve paralysis due to intra-aural *Hyalomma* tick infestation. *Turkiye Parazitol. Derg.* 36: 254–257.

Duscher G.G., Hodžić A., Hufnagl P., Wille-Piazzai W., Schötta A.M., Markowicz M.A., Estrada-Peña A., Stanek G., & Allerberger F. 2018. Adult *Hyalomma marginatum* tick positive for *Rickettsia aeschlimannii* in Austria, October 2018. *Euro surveillance: bulletin Europeensur les maladies transmissibles = European communicable disease bulletin.* 23: 1-3.

Dwużnik-Szarek D., Bajer A. 2020. Ach te kleszcze! *Wszechświat.* 121(10-12): 320-331.

England M. E., Philips P., Medlock J. M., Atkinson P. M., Atkinson B., Hewson R., Gale P. 2016. *Hyalomma* ticks on northward migrating birds in southern Spain: Implications for the

risk of entry of Crimean-Congo haemorrhagic fever virus to Great Britain. Journal of Vector Ecology. 41: 128-134.

Estrada-Peña A., Mihalca, A.D., Petney T.N. 2017. Ticks of Europe and North Africa. A Guide to Species Identification. Springer, Cham. ISBN 978-3-319-63760-0, 137-145.

Feider Z. 1965. Fauna of the Peoples Republic of Romania. Suprafamily Ixodoidea. Ticks. Academiei Republicii Populare Romane, Bucharest.

Gargili A., Estrada-Peña A., Spengler J.R., Lukashev A., Nuttall P.A., Bente D.A. 2017. The role of ticks in the maintenance and transmission of Crimean-Congo hemorrhagic fever virus: A review of published field and laboratory studies. Antivir. Res. 144, 93–119.
<https://doi.org/10.1016/j.antiviral.2017.05.010>.

Guglielmone A.A., Robbins R.G., Apanaskevich D.A., Petney T.N., Estrada-Peña A., Horak I.G. 2014. The hard ticks of the world (Acari: Ixodida: Ixodidae). Springer, Berlin.

Gürbüz M.K., Erdogan M., Dogan N., Birdane L., Cingi E. 2010. Case report: isolated facial paralysis with a tick. Turkiye Parazitol Derg. 34: 61–64.

Grandi G., Chitimia-Dobler L., Choklikitumnuay P., Strube C., Springer A., Albihn A., Jaenson T.G.T., Omazic A. 2020. First records of adult *Hyalomma marginatum* and *H. rufipes* ticks (Acari: Ixodidae) in Sweden. Ticks Tick-Borne Dis. 11, 101403.

Hasle G., 2013. Transport of ixodid ticks and tick-borne pathogens by migratory birds. Front. Cell. Infect. Microbiol. 4: 1–6. <https://doi.org/10.3389/fcimb.2013.00048>.

Hasle G., Bjune G., Edvardsen E., Jakobsen C., Linnehol B., Røer J. E., Mehl R., Røed K. H., Pedersen J., Leinaas H. P. 2009. Transport of ticks by migratory passerine birds to Norway. Journal of Parasitology. 95(6): 1342-1351.

Hoffman T., Lindeborg M., Barboutis C., Erciyas-Yavuz K., Evander M., Fransson T., et al. 2018. Alkhurma hemorrhagic fever virus RNA in *Hyalomma rufipes* ticks infesting migratory birds, Europe and Asia Minor. Emerg. Infect. Dis. 24: 879–882.

Horak I.G., Camicas J.L., Keirans JE. 2002. The Argasidae, Ixodidae and Nutalliellidae (Acari: Ixodida): a world list of valid tick names. Exp. Appl. Acarol. 28: 27–54.

Hornok S., Horvath G. 2012. First report of adult *Hyalomma marginatum rufipes* (vector of Crimean-Congo haemorrhagic fever virus) on cattle under a continental climate in Hungary. Parasites and Vectors. 5: 170. <http://www.parasitesandvectors.com/content/5/1/170>.
Hubálek Z., Sedláček P., Estrada-Peña A., Vojtíšek J., Rudolf I. 2020. First record of *Hyalomma rufipes* in the Czech Republic, with a review of relevant cases in other parts of Europe. Ticks and Tick-borne Diseases. 11: 101421. doi: 10.1016/j.ttbdis.2020.101421.

Jaenson T.G., Talleklint L., Lundqvist L., Olsen B., Chirico J., Mejlon h. 1994. Geographical distribution, host associations, and vector roles of ticks (Acari: Ixodidae, Argasidae) in Sweden. Journal of Medical Entomology. 31(2): 240-256.

Jameson L.J., Morgan P.J., Medlock J.M., Watola G., Vaux A.G.C. 2012. Importation of *Hyalomma marginatum*, vector of Crimean-Congo haemorrhagic fever virus, into United Kingdom by migratory birds. Ticks and Tick-borne Diseases. 3: 95–99.

Kaiser M.N., Hoogstraal H. 1974. Ticks (Ixodoidea) on migrating birds in Cyprus, fall 1967 and spring 1968, and epidemiological considerations. Bulletin of Entomological Research. 64: 97-110.

Kampen H., Poltz W., hartelt K., Wolfel R., Faulde M. 2007. Detection of a questing *Hyalomma marginatum marginatum* adult female (Acari, Ixodidae) in southern Germany. Experimental and Applied Acarology. 43: 227-231.

Kayedi M.H., Chinikar S., Mostafavi E., Khakifirouz S., Jalali T., Hosseini-Chegeni A., et al. 2015. Crimean-Congo hemorrhagic fever virus clade IV (Asia 1) in ticks of western Iran. J. Med. Entomol. 52: 1144–1149.

Keskin A., Keskin A., Bursali A., Tekin S. 2015. Ticks (Acari: Ixodida) parasitizing humans in Corum and Yozgat provinces, Turkey. Exp. Appl. Acarol. 67: 607–616.
<https://doi.org/10.1007/s10493-015-9966-4>.

Koczanowicz S., Nowak-Chmura M., Witecka J., Rączka G., Asman M.M. 2024. The potential risk of human exposure to tick borne infection by *Borrelia burgdorferi* sensu lato, *Anaplasma phagocytophilum* and *Babesia microti* on the selected recreational areas of Poprad Landscape Park of southern Poland. Ann. Agric Environ. Med. doi: 10.26444/aaem/186025

Kumar B., Manjunathachar H.V., Ghosh S., 2020. A review on *Hyalomma* species infestations on human and animals and progress on management strategies. Heliyon. 6: e05675. <https://doi.org/10.1016/j.heliyon>.

Latif A.A. 2013a. Ixodid ticks of major economic importance and their distribution in South Africa. Ticks and tick-borne diseases: Monograph 1. AGRI Connect (Pty) Ltd., Johannesburg.

Latif A.A. 2013b. Illustrated guide to identification of African tick species. Ticks and tick-borne diseases: Monograph 2. AGRI Connect (Pty) Ltd., Johannesburg.

Lesiczka P.M., Danek O., Modrý D., Hrazdilova K., Votýpková J., Zurek L. 2022. A new report of adult *Hyalomma marginatum* and *Hyalomma rufipes* in the Czech Republic. Ticks and Tick-borne Diseases. 13: 101894. <https://doi.org/10.1016/j.ttbdis.2021.101894>.

Mediannikov O., Diatta G., Fenollar F., Sokhna C., Trape J.F., Raoult D. 2010. Tickborne rickettsioses, neglected emerging diseases in rural Senegal. PLoS Negl. Trop. Dis. 4: e82.

Mehl R., Michaelsen J., Lid G. 1984. Ticks (Acari, Ixodidae) on migratory birds in Norway. Fauna Norvegica. 31: 46-58.

Nijhof A.M., Bodaan C., Postigo M., Nieuwenhuijs H., Opsteegh M., Fransses L., et al. 2007. Ticks and associated pathogens collected from domestic animals in the Netherlands. Vector Borne Zoonotic Dis. 7: 585–95.

Nosek J., Kozuch O., Lysý J., 1982. The finding of the female *Hyalomma marginatum* Koch, 1844 in southern Slovakia. *Folia Parasitol* 251.

Nowak-Chmura M. 2013. Fauna kleszczy (Ixodida) Europy Środkowej. Wydawnictwo Naukowe Uniwersytetu Pedagogicznego, Kraków.

Nowak-Chmura M. 2014. A biological/medical review of alien tick species (Acari: Ixodida) accidentally transferred to Poland. *Annals of Parasitology*. 60(1): 49–59.

Nowak M., Solarz W. 2010. A new case of transfer to Poland of the tick *Hyalomma (Euhyalomma) marginatum* Koch, 1844 (Acari: Amblyommatidae) on migratory birds. Abstracts of XXII Congress of Polish Parasitological Society, Puławy: 107.

Oehme R., Bestehorn M., Wölfel S., Chitimia-Dobler L. 2017. *Hyalomma marginatum* in Tübingen, Germany. *Syst Appl Acarol*. 22: 1–6.

Palomar A.M., Portillo A., Mazuelas D., Roncero L., Arizaga J., Crespo A., Gutiérrez Ó., Márquez F.J., Cuadrado J.F., Eiros J.M., Oteo J.A. 2016. Molecular analysis of Crimean-Congo hemorrhagic fever virus and Rickettsia in *Hyalomma marginatum* ticks removed from patients (Spain) and birds (Spain and Morocco), 2009-2015. *Ticks and Tick-Borne Diseases*, 7: 983-987.

Petney T.N., Pfaffle M.P., Skuballa J.D. 2012. An annotated checklist of the ticks (Acari: Ixodida) of Germany. *Systematic and Applied Acarology*. 17(2): 115-170.

Portillo A., Palomar A.M., Santibáñez P., Oteo J.A. 2021. Epidemiological Aspects of Crimean-Congo Hemorrhagic Fever in Western Europe: What about the Future? *Microorganisms*. 9: 649. <https://doi.org/10.3390/microorganisms9030649>.

Rubel F., Bugger K., Monazahian M., Habedank B., Dautel H., Leverenz S., Kahl O. 2014. The first German map of georeferenced ixodid ticks locations. *Parasit Vectors*. 7: 477.

Rubina M., Braverman Y., Frish K. 1984. Ticks collected from domestic animals in Sinai and adjoining areas in Israel and their medical and veterinary importance. *Cahiers O.R.S.T.O.M. Serie entomologie medicale et parasitologie*. 22: 303-311.

Rumer L., Graser E., hillebrand T., Talaska T., Dautel h., Mediannikov O., Roy, Chowhury P., Sheshukova O., Mante O.D., Niedrig M. 2011. *Rickettsia aeschlimanni* in *Hyalomma marginatum* ticks, Germany. *Emerging Infectious Disease*. 17: 325-326.

Sajid M.S., Kausar A., Iqbal A., Abbas H., Iqbal Z., Jones M.K. 2018. An insight into the ecobiology, vector significance and control of *Hyalomma* ticks (Acari: Ixodidae): A review. *Acta Trop*. 187: 229–239. <https://doi.org/10.1016/j.actatropica.2018.07.016>.

Sands A.F., Apanaskevich D.A., Matthee S., Horak I.G., Harrison A., Karim S., Mohammad M.K., Mumcuoglu K.Y., Rajakaruna R.S., Santos-Silva M.M., Matthee C.A., 2017. Effects of tectonics and large scale climatic changes on the evolutionary history of *Hyalomma* ticks. *Mol. Phylogenetic Evol*. 114: 153–165. <https://doi.org/10.1016/j.ympev.2017.06.002>.

Santos-Silva M.M., Beati L., Santos A.S., De Sousa R., Núncio M.S., Melo P., Santos-Reis M., Fonseca C., Formosinho P., Vilela C., et al. 2011. The hard-tick fauna of mainland Portugal (Acari: Ixodidae): An update on geographical distribution and known associations with hosts and pathogens. *Exp. Appl. Acarol.* 55: 85–121.

Shiryaev D.T., Shevchenko S.F., Tokarev S.A., Orekhova I.M. 1966. Experimental study of *Hyalomma plumbeum plumbeum* Panz. And *Haemaphysalis punctata* Can. and Fanz. ticks as tularemia vectors. *Meditinskaya Parazitologiya i Parazitarnye Bolezni* (Moskwa) 35: 305-309.

Siuda K., Dutkiewicz J. 1979. *Hyalomma marginatum* Koch, 1844 (Acarina, Ixodidae) in Poland, an example for transport of exogenous tick by migratory birds. *Wiad. Parazytol.* 25: 333-338.

Siuda K., Majszik A. i Mowak M. 2006. Ticks (Acari: Ixodida) parasitizing birds (Aves) in Poland. *Biological Lett.* 43(2): 147.151.

Uiterwijk M., Ibanez-Justicia A., van de Vossenberg B., Jacobs F., Overgaauw P., Nijssse R., Dabekaußen C., Stroo A., Sprong H., 2021. Imported *Hyalomma* ticks in the Netherlands 2018–2020. *Paras. Vectors.* 14: 1–13. <https://doi.org/10.1186/s13071-021-04738-x>.

Walker A.R., Bouattour A., Camicas J.L., Estrada-Peña J., Horak I.G., Latif A.A., Pogram R.G., Preston P.M. 2003. Ticks of domestic animals in Africa: guide to identification of species. Zaragoza: ICTTD.

Walter G., Liebisch A., Vauk G. 1979. Untersuchungen zur Biologie und Verbreitung von Zecken der Zugvogel auf der Insel helgoland. *Zeitschrift für Angewandte Zoologie.* 66: 445-461.